




## COVID-19

Essential products to safely respond to and protect first responders and emergency personnel, and all the individuals they serve in all types of temporary and permanent workzones!

### PATIENT AND PEDESTRIAN SAFETY




### VEHICLE AND TRAFFIC SAFETY



## A-FRAME BARRICADE LEGS

Create a simple barrier or a customized barricade system with Cortina's A-Frame Legs. Pair with Cortina's extruded Exterior Grade PVC "PLASTX™ T-Boards" to configure a simple barrier system or to create a complete barrier blockade. Quick and easy set up and deployment. A-Frames are designed to reduce the risk of injury and are totally versatile. These modular A-Frame Legs allow for complete flexibility and are ideal for use in a straight line or around manholes, in workzones, on construction sites, and areas where pedestrian control is necessary. A-Frame Legs are injection molded with high-impact resin and will accommodate either one or two T-Boards.

- Injection molded with high impact resin
- Universal slots accept a wide variety of boards
- Reinforced ribbing for added strength and stability
- Molded light mount and stacking features



### A-FRAME LEGS

ITEM NUMBER	DESCRIPTION	WEIGHT
97-01-004-02	Single White Leg, One Slot (one board)	8 lbs.
97-01-004	Single Leg - White, Two Slots (two boards)	8 lbs.

### 1" X 8" BOARDS

ITEM NUMBER	DESCRIPTION	WEIGHT
97-01-018-01	6 ft Board, Engineer Grade Striped Sheeting [one side]	5 lbs.
97-01-018-04	6 ft Board, High Intensity Prismatic Striped Sheeting [one side]	5 lbs.
97-01-018-05	6 ft Board, Diamond Grade Striped Sheeting [one side]	5 lbs.
97-01-018-02	6 ft Board, Engineer Grade Striped Sheeting [both sides]	5 lbs.
97-01-018-03	6 ft Board, High Intensity Prismatic Striped Sheeting [both sides]	5 lbs.
97-01-018-06	6 ft Board, Diamond Grade Striped Sheeting [both sides]	5 lbs.
97-01-019-01	8 ft Board, Engineer Grade Striped Sheeting [one side]	7 lbs.
97-01-019-04	8 ft Board, High Intensity Prismatic Striped Sheeting [one side]	7 lbs.
97-01-019-05	8 ft Board, Diamond Grade Striped Sheeting [one side]	7 lbs.
97-01-019-02	8 ft Board, Engineer Grade Striped Sheeting [both sides]	7 lbs.
97-01-019-03	8 ft Board, High Intensity Prismatic Striped Sheeting [both sides]	7 lbs.
97-01-019-06	8 ft Board, Diamond Grade Striped Sheeting [both sides]	7 lbs.



## P-CADE BARRICADE LEGS & BOARDS



### PEDESTRIAN BARRICADE ADA COMPLIANT P-CADE

- Total versatility
- Modular system allows for complete flexibility, use in a straight line or around man holes and workzones
- P-Cade meets or exceeds ADA Guidelines and MUTCD Standards
- Made from durable, UV Stabilized Polypropylene
- Provides a continuous, obstruction free guidance system through workzones
- Lower guide rail will not trap canes
- Easy to assemble - no hardware or tools required - just slide plank boards in and out
- Accepts all barricade lights
- Easy carry handle
- Stacks for easy transport and storage with built-in stacking lugs
- Order legs and parts individually

#### P-CADE LEG

ITEM NUMBER	DESCRIPTION	WEIGHT
97-01-1600	P-Cade Single Leg, White	8 lbs.

#### 1" X 8" BOARDS

ITEM NUMBER	DESCRIPTION	WEIGHT
97-01-018-01	6 ft Board, Engineer Grade Striped Sheeting [one side]	5 lbs.
97-01-018-04	6 ft Board, High Intensity Prismatic Striped Sheeting [one side]	5 lbs.
97-01-018-05	6 ft Board, Diamond Grade Striped Sheeting [one side]	5 lbs.
97-01-018-02	6 ft Board, Engineer Grade Striped Sheeting [both sides]	5 lbs.
97-01-018-03	6 ft Board, High Intensity Prismatic Striped Sheeting [both sides]	5 lbs.
97-01-018-06	6 ft Board, Diamond Grade Striped Sheeting [both sides]	5 lbs.
97-01-019-01	8 ft Board, Engineer Grade Striped Sheeting [one side]	7 lbs.
97-01-019-04	8 ft Board, High Intensity Prismatic Striped Sheeting [one side]	7 lbs.
97-01-019-05	8 ft Board, Diamond Grade Striped Sheeting [one side]	7 lbs.
97-01-019-02	8 ft Board, Engineer Grade Striped Sheeting [both sides]	7 lbs.
97-01-019-03	8 ft Board, High Intensity Prismatic Striped Sheeting [both sides]	7 lbs.
97-01-019-06	8 ft Board, Diamond Grade Striped Sheeting [both sides]	7 lbs.

**ADDITIONAL BOARD OPTIONS AVAILABLE!**

**FOR MORE INFORMATION CONTACT US AT 847-455-2800 OR EMAIL [workzone@cortinaco.com](mailto:workzone@cortinaco.com)**

## OPEN TOP DELINEATOR POST



- NCHRP-350 Certified
- 100% Impact resistant HDPE with UV Inhibitors to resist fading
- Provides a continuous, obstruction free guidance system through workzones
- Easy to set up and completely portable - easy to move

ITEM #	DESCRIPTION	WEIGHT
03-734OT	39" Orange Open Top Delinator Post with (2) 3" Reflective Collars	3 lbs.
03-730	Recycled Square Rubber Base	10 lbs.
03-824CB	Cone Bar, Retractable 5'-9' Orange w/(3) 4" White HI Wraps (5" dia. ring)	2 lbs.

Post , Cone Bar & Base Sold Separately




# EZ-GRAB™ DUAL GRIP DELINEATOR



## EZ-GRAB™ DUAL GRIP DELINEATOR

The Cortina NEW Dual Grip Delineator offers all of the wonderful standard features of our traditional EZ-Grab Delineators with a few additional options. The Dual Grip Delineator includes a modified Round Top Grip Handle at the top and another Dual Grip Grabber Handle near the base to allow for simple and effortless set up, movement or relocation. Grab it from the top, the bottom, or both to relocate with ease! The Dual Grip Delineator is highly visible in bright light as well as low light conditions given its BRIGHT ORANGE color and highly reflective bands. It is ideal for use in permanent or temporary situations, on construction sites, for facility management purposes, or for pedestrian safety. These posts are portable and lightweight made of 100% impact resistant Polyethylene. The Dual Grip Delineator is also UV Stabilized to resist fading.



ITEM NUMBER	DESCRIPTION
03-734CH	42"EZ Grab Dual Grip Delineator with (2) 3"H.I.Collars
<b>BASE OPTIONS</b>	
03-730	10# Square Black Rubber
03-731	15# Hexagon Black Rubber
<b>CONE BARS</b>	
03-829CB-R	Cone Bar, Retractable 4'-6' White w/(2) 6" Red HI Wraps (3" dia. ring) 2 lbs.
03-829CB-G	Cone Bar, Retractable 4'-6' White w/(2) 6" Green HI Wraps (3" dia. ring) 2 lbs.
03-829-CB	Cone Bar, Retractable 4'-6' White w/(2) 6" Orange HI Wraps (3" dia. ring) 2 lbs.
03-829CB-BLK	Cone Bar, Retractable 6'-10' Black w/(2) 6" Gold HI Wraps (3" dia. ring) 2 lbs.
03-829-CB-O	Cone Bar, Retractable 6'-10' White w/(2) 6" Orange HI Wraps (3" dia. ring) 2 lbs.

For Pricing & Information Contact Customer Service  
Email: [workzone@cortinaco.com](mailto:workzone@cortinaco.com) - Phone: 847-455-2800



**Cortina Safety Products**  
10706 West Grand Avenue  
Franklin Park, IL 60131  
847.455.2800  
[www.CortinaCo.com](http://www.CortinaCo.com)

**CCI Canada**  
195 East Edward Street  
St. Thomas, Ont.  
Canada, N5P1Z4  
519-631-2900


# EZ GRAB™ DELUX STACKABLE DELINEATOR



## EZ GRAB™ DELUX STACKABLE DELINEATOR

Cortina's NEW EZ Grab DeLux Stackable Delineator Post has a great new slender, eye catching look. Bright orange in color with 2 highly reflective bands the NEW EZ Grab DeLux Stackable Delineator is highly visible both day and night and is an ideal delineation device for use on construction sites, pedestrian crossings, sporting events, for traffic control situations, or anywhere there is a need to divide space.

- Meets MUTCD Standards ● Comfortable grip handle
- Accepts Retractable Topper Tape Barrier to create instant barricade
- Stackable, and easy to deploy and relocate
- Base slides over the top and grabs flanged bottom for a secure lock (rubber base sold separately)



Stacked Posts

# STACKER ROUND-TOP CHANNELIZER CONE



## STACKER ROUND-TOP


- Stacker Round-Top Channelizer Cones are an excellent way to mark the edge of any road, or path to ensure vehicles or foot traffic stay within designated boundaries and driving areas
- Stacker Round-Top devices are versatile across many platforms and applications and can be used in numerous situations...
  - ✓ construction sites ✓ facility management purposes ✓ pedestrian safety
- Portable, lightweight, and easy to set up as well as relocate if needed
- Posts are 100% impact resistant Polyethylene and are UV stabilized to resist fading
- Meets MUTCD Standards ● Available 36" or 42" plain or with reflective collars
- Chains or pennants available to connect Round-Tops and cordon off an area ● Base sold separately



ITEM #	DESCRIPTION	WEIGHT
<b>STACKER ROUND TOP CHANNELIZERS</b>		
03-770-36-P	36" Round-Top Orange Cone - No Collars	3 lbs.
03-770-36B-P	36" Round-Top Blue Cone - No Collars	3 lbs.
03-770-36Y-P	36" Round-Top Yellow Cone - No Collars	3 lbs.
03-770-36L-P	36" Round-Top Lime Cone - No Collars	3 lbs.
03-770-42-P	42" Round-Top Orange Cone - No Collars	4 lbs.
03-770-42B-P	42" Round-Top Blue Cone - No Collars	4 lbs.
03-770-42Y-P	42" Round-Top Yellow Cone - No Collars	4 lbs.
03-770-42L-P	42" Round-Top Lime Cone - No Collars	4 lbs.

### CONE BAR


03-824CB Cone Bar, Retractable 5'-9' Orange w/(3) 4" HI Collars (5" dia. ring)



### BASE

- Molded crumb rubber bases
- Quick and easy installation
- 100% recycled and 100% recyclable

ITEM #	DESCRIPTION
03-770-5	10 lb Hexagon Base
03-770-6	15 lb Hexagon Base



### CHAIN

ITEM #	DESCRIPTION
03-600-27	20'
03-600-28	100'



# STACKER ROUND-TOP CHANNELIZER CONE



Cortina Safety Products  
10706 West Grand Avenue  
Franklin Park, IL 60131  
847.455.2800  
[workzone@cortinaco.com](mailto:workzone@cortinaco.com)

CCI Canada, Ltd.  
195 Edward Street  
St. Thomas, ON N5P 1Z4  
519-631-2900  
[workzonecanada@cortinaco.com](mailto:workzonecanada@cortinaco.com)



## QUICK DEPLOY STOP SIGN

The Quick Deploy Stop Sign is an effective traffic control system designed for use in industrial plants, 4-way intersections, parking lots, schools, airports, hospitals, and places where a stop light is inoperable due to natural disasters, etc.

- Quick set up and easy to use
- Highly visible
- Kit includes 1 white delineator post, 1 - 15 lb recycled rubber base, and 2 - 18" ABS STOP signs



ITEM #	DESCRIPTION
--------	-------------

03-747QD	(2) 18" Nonreflective Stop Signs, (1) White Delineator Post, (1) 15 lb. Rubber base (boxed) 16 lbs.
03-747QDH-15	(2) 18" High Intensity Prismatic Stop Signs, (1) White Delineator Post, (1) 15 lb. Rubber base (boxed) 16 lbs.
03-747QDDG15	(2) 18" Diamond Grade Stop Signs (1) White Delineator Post, (1) 15 lb. Rubber base (boxed) 16 lbs.

Bases Also Sold Separately

ITEM #	DESCRIPTION
--------	-------------

03-730	10 lb Square Base
03-731	15 lb Hexagon Base

## CABLE GUARDS

Cortina's Extreme Cable Protectors range from light to heavy-duty and Xtreme. Cable Protectors are made of Polyurethane offering the best product characteristics and they are versatile across all industries. Available lines include Standard, ADA Compliant, and GLOW in the dark. Made in the USA, this line offers a Lifetime Warranty.

- Extremely durable Polyurethane
- Varying configurations and load ratings to meet every need
- Quick and easy solution to cover cables, wires, hoses, and pipes
- Glow Guards illuminate over 24 hours with only 10 seconds of UV sunlight to fully charge



ITEM #	DESCRIPTION	LBS	LOAD#
2080-DP-B	Dropover Black 1-Channel (4"W X 1"H Channel dims) Overall dims 36"L x 10.5"W x 1.5"H	6	8,850
2080-DP-R	Dropover Red 1-Channel (4"W X 1"H Channel dims) Overall dims 36"L x 10.5"W x 1.5"H	6	8,850
2070-3	3-Channel (1.25"W x 1.25"H Channel dims) Overall dims 36"L x 13"W x 1.75"H	16	14,000
2070-5	5-Channel (1.38"W x 1.25"H Channel dims) Overall dims 36"L x 20"W x 1.75"H	24	20,000
2070-7	7-Channel (1.38"W x 1.25"H Channel dims) Overall dims 36"L x 24"W x 1.75"H	30	18,000
2071-2	2-Channel (2"W x 2"H Channel dims) ADA Compliant Overall dims 18"L x 64"W x 2.5"H	55	16,500
2071-5	5-Channel (1.38"W x 1.25"H Channel dims) ADA Compliant Overall dims 19"L x 52.5"W x 1.75"H	30	20,000
2075-1B	Glow Dropover Black 1-Channel (4"W X 1"H Channel dims) Overall dims 36"L x 10.5"W x 1.5"H	6	8,850
2075-1R	Glow Dropover Red 1-Channel (4"W X 1"H Channel dims) Overall dims 36"L x 10.5"W x 1.5"H	6	8,850
2072-2	Glow 2-Channel (1.25"W x 1.25"H Channel dims) Overall dims 36"L x 11.25"W x 1.75"H	13	12,500
2072-3	Glow 3-Channel (2"W x 2"H Channel dims) Overall dims 36"L x 19"W x 2.5"H	28.5	12,250
2072-5	Glow 5-Channel (1.38"W x 1.25"H Channel dims) Overall dims 36"L x 20"W x 1.75"H	24	20,000

## TYPE I & TYPE II BARRICADES

MEET MUTCD STANDARDS & NCHRP-350 CERTIFICATION

### PLASTX™ BARRICADES

- Rugged heavy-duty design to provide maximum use
- Designed for easy nesting and stacking
- Recessed and replaceable sheeted panels
- Accepts weight cartridge

#### PLASTX TYPE I - 16 lbs

ITEM #	DESCRIPTION
97-01-001	EG Striped Sheeting 24" x 12" Top Panel, 24" x 4" Unsheeted Bottom Panel
97-01-001-03	EG Striped Sheeting 24" x 12" Top Panel, 24" x 8" Unsheeted Bottom Panel

#### PLASTX TYPE II - 16 lbs

ITEM #	DESCRIPTION
97-01-002	EG Striped Sheeting 24" x 8" Top Panel, 24" x 8" Bottom Panel
97-01-003-01	EG Striped Sheeting 24" x 12" Top Panel, 24" x 8" Bottom Panel
97-01-003-03	DG Striped Sheeting 24" x 12" Top Panel, 24" x 8" Bottom Panel



### M-CADE BARRICADES

- Folds flat for easy nesting and storage
- Unique knuckle lock prevents sag in the field
- Rugged heavy-duty design to provide maximum use

#### M-CADE TYPE I - 13 lbs

ITEM #	DESCRIPTION
97-11-001-45	HIP Striped Sheeting 24" x 12" Top Panel, 24" x 8" Unsheeted Bottom Panel w/sandbar
97-12-001-44	EG Striped Sheeting 24" x 12" Top Panel, 24" x 12" Unsheeted Bottom IB Panel
97-12-001-45	HIP Striped Sheeting 24" x 12" Top Panel, 24" x 12" Unsheeted Bottom IB Panel

#### M-CADE TYPE II - 13 lbs

ITEM #	DESCRIPTION
97-11-002-44	EG Striped Sheeting 24" x 8" Top Panel, 24" x 8" Bottom Panel w/sandbar
97-11-002-45	HIP Striped Sheeting 24" x 8" Top Panel, 24" x 8" Bottom Panel w/sandbar
97-11-003-44	EG Striped Sheeting 24" x 12" Top Panel, 24" x 8" Bottom Panel w/sandbar
97-11-003-45	HIP Striped Sheeting 24" x 12" Top Panel, 24" x 8" Bottom Panel w/sandbar
97-12-002-44	EG Striped Sheeting 24" x 8" Top Panel, 24" x 12" Bottom IB Panel sheeted 24" x 8"
97-12-002-45	HIP Striped Sheeting 24" x 8" Top Panel, 24" x 12" Bottom IB Panel sheeted 24" x 8"

